

The Gazette of India



सत्यमेव जयते

No. 17]

NEW DELHI, SATURDAY, APRIL 23, 1955

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 26th March, 1955.

CHOLERA								SMALLPOX								PLAGUE																							
—		C.		D.		C.		D.		C.		D.		—		C.		D.		C.		D.																	
STATES PART (A) AND PART (C)																Assam—contd.																							
Ajmer								(Estd. mid-year pop. 9,672 thousands.)																															
TOTAL		.		.		8		4		.		.		.		Total for w/e 19-3-55		.		30		17										
(Estd. mid-year pop. 741 thousands.)																Total for w/e 12-3-55								.		17		3				
Total for w/e 19-3-55		.		.		5		4		.		.		.		7-yearly mean for the week		.		5		3		5		1		.		.									
Total for w/e 12-3-55		.		.		5		5		.		.		.		Bihar																							
7-yearly mean for the week		.		.		7		4		.		.		.		Patna		.		15		5										
Andhra																Gaya								.		10		2		23		7		.		.			
Srikakulam		.		.		28		11		8		2		.		Shahabad		.		.		.		8		2		.		.									
Visakhapatnam			2		.		.		Darbhanga		.		.		5		1		.		.		.									
Godavari East			17		2		.		Santal Parganas		.		.		.		2		1		.		.									
Godavari West			19		2		.		Hazaribagh		.		.		6		4		30		5		.									
Krishna			4		1		.		Manbhum		.		.		6		1		6		1		.									
Guntur			61		10		.		Singhbhum			11		1		.									
Nellore			22		3		.		TOTAL								42		13		80		16		.							
Kurnool			9		2		.		(Estd. mid-year pop. 41,828 thousands.)								Total for w/e 19-3-55		.		76		14		118		25		.			
Chittoor			3		.		10		3		Total for w/e 12-3-55								.		4		1		33		15		.			
TOTAL		28		11		141		22		10		7-yearly mean for the week								.		205		62		420		55		8		3							
(Estd. Mid-year pop. 21,013 thousands.)																Bombay																							
Total for w/e 19-3-55		.		34		11		127		20		.		.		Greater Bombay								.		.		.		5		1		.					
Total for w/e 12-3-55		.		26		12		150		17		.		.		Kaira								.		.		.		11		.		.					
7-yearly mean for the week		.		86		42		562		102		.		.		Broach								.		.		.		5		.		.					
Assam																Panch Mahals									5		.		.		.	
Goalpara		.		.		.		5		2		1		.		Surat			20		12		.									
Nowgong		.		.		.		15		8		.		.		Thana								.		.		.		2		2		.					
Sibsagar		.		.		.		2		.		.		.		Satara South								.		.		.		43		2		.					
United Mikir & North Cachar Hills		.		.		.		46		32		.		.		Ahmednagar								.		.		.		10		.		.					
TOTAL		68		42		1																										

Explanation of symbols used : C. = Cases ; D. = Deaths ; .. = Nil ; N.R. = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 26th March, 1955—contd.

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	—	—	C.	D.	C.	D.	C.	D.	—	—
Bombay—contd								Madhya Pradesh							
East Khandesh	113	14		Chhindwara	26	1	
West Khandesh	26	5		Bhandara	11	1	
Nasik	58	5		Jabalpur	10	
Poona	12	1		Sagar	7	
Satara North	22	2		Hoshangabad	87	1	
Sholapur	21	1		Rajpur	25	11	20	2
Dharwar	5	1		Bilaspur	8	
Kanara	10		Durg	1	
Ratnagiri	2		Raigarh	6	3
Banaskantha	2		Amravati	40	
TOTAL	372	46		Akola	23	2	
(Estd. mid-year pop. 38,892 thousands.)								Buldana	14	1	
Total for w/e 19-3-55	256	50		TOTAL	31	14	257	22
Total for w/e 12-3-55	2	1	416	47	(Estd. mid-year pop. 21,948 thousands.)							
7-yearly mean for the week	9	3	592	69	Total for w/e 19-3-55	46	12	300	10
								Total for w/e 12-3-55	11	4	191	23
								7-yearly mean for the week	34	15	201	24	415	44
Goorg								Madras							
TOTAL	3		Madras	12	1	
(Estd. mid-year pop. 256 thousands.)								Coimbatore	2	1	
Total for w/e 19-3-55	15	3		South Arcot	7	4	2	1
Total for w/e 12-3-55	1		Tanjore
7-yearly mean for the week	1		Tiruchirappalli
								Mathurai	5	1	7	2
								Ramnathapuram	4
								Malabar	23	10
								TOTAL	13	5	51	17
Delhi								(Estd. mid-year pop. 37,737 thousands.)							
Delhi City	2		Total for w/e 19-3-55	13	10	86	20
New Delhi	1		Total for w/e 12-3-55	35	19	37	11
TOTAL	3		7-yearly mean for the week	185	105	208	52
(Estd. mid-year pop. 1,744 thousands.)															
Total for w/e 19-3-55	1									
Total for w/e 12-3-55		Manipur							
7-yearly mean for the week	9	3		TOTAL
								(Estd. mid-year pop. 606 thousands.)							
								Total for w/e 19-3-55
								Total for w/e 12-3-55
Himachal Pradesh															
"N. R."															
Explanation of symbols used : C.—Cases; D.—Deaths; ..—Nil; N,R.—Information not received.															

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 26th March, 1955—contd.

ORISSA										UTTAR PRADESH									
CHOLERA										CHOLERA									
SMALLPOX										SMALLPOX									
PLAGUE										PLAGUE									
C. D. C. D. C. D.										C. D. C. D. C. D.									
Cuttack										Dehra Dun									
Balasore										Saharanpur									
Puri										Muzaffaranagar									
Sambalpur										Aligarh									
Bandh										Mathura									
Koraput										Agra									
Keonjhar										Bareilly									
Dhenkanal										Pilibhit									
Bolangir Patna										Etawah									
Sundergarh										Kanpur									
Kalahandi										Fatehpur									
Mayurbhanj										Allahabad									
TOTAL										Jalaun									
(Estd. mid-year pop. 15,026 thousands.)										Jaunpur									
Total for w/e 19-3-55										Gorakhpur									
Total for w/e 12-3-55										Deoria									
7-yearly mean for the week										Almora									
Punjab (I)										Garhwal									
Karnal										Lucknow									
Ambala										Unao									
TOTAL										Rae Bareilly									
(Estd. mid-year pop. 12,641 thousands.)										Sitapur									
Total for w/e 19-3-55										Hardoi									
Total for w/e 12-3-55										Kheri									
7-yearly mean for the week										Sultanpur									
TOTAL										Partapgarh									
(Estd. mid-year pop. 694 thousands.)										Bara Banki									
Total for w/e 19-3-55										TOTAL									
Total for w/e 12-3-55										9 1 146 31 4									
7-yearly mean for the week										(Estd. mid-year pop. 66,112 thousands.)									
TOTAL										Total for w/e 19-3-55									
(Estd. mid-year pop. 694 thousands.)										Total for w/e 12-3-55									
Total for w/e 19-3-55										7-yearly mean for the week									
Total for w/e 12-3-55										57 21 196 41 226 9									

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 26th March, 1955—concl'd.

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Vindhya Pradesh							Madhya Bharat						
TOTAL	88	14	60	6	"N. R."						
(Estd. mid-year pop. 3,665 thousands.)							Mysore						
Total for w/e 19-3-55	8	2	Chitaldrug	34	17	1
Total for w/e 12-3-55	80	40	Hassan	4	2
West Bengal							Chikmagalur	10	4
"N. R."							Kolar	18	5	20	2
Grand Total for States Parts (A) & (C) (excluding Bhopal Himachal Pradesh and West Bengal)	292	107	1,229	172	14	3	Mandya	4	1
Corresponding (Estd. mid-year pop. 272,634 thousands.)							Bellary	5	3
Corresponding Total for w/e 19-3-55	253	97	1,182	169	9	3	TOTAL	49	24	27	8	20	2
Corresponding Total for w/e 12-3-55	122	45	1,035	171	13	5	Patiala and East Punjab States Union						
Corresponding 7-yearly mean for the week	650	274	1971	285	649	138	TOTAL	50	6
STATES PART (B)							Rajasthan						
Hyderabad							"N. R."						
Warrangal	1	Saurashtra						
TOTAL	1	Gohilwad	20	5
Jammu and Kashmir							Halar	6
"N. R."							TOTAL	26	5
TOTAL	Travancore-Cochin						
							TOTAL	1
							Grand Total for States Part (B)	49	24	105	19	20	2
							Grand Total for States Parts (A), (B) and (C)	341	131	1,334	191	34	5

Explanation of symbols used; C. = Cases; D. = Deaths; .. = Nil. N.R. = Information not received;

NEW DELHI-2 (INDIA) ;
The 18th April 1955. }

K. MITRA,
for Registrar General, India.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 26th March, 1955

Deaths from :—															
Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.		
STATES—(Parts A and C)															
"N.R."															
Ajmer															
Andhra															
Adoni†															
Anantpur	36	32	46.1	1	..	2	2	16	23.0	3		
Anakapalli	45	23	26.5	3	..	2	..	13	15.0	..		
Bhimavaram	35	10	14.9	1	..	4	5.9	1		
Chirala	42	30	37.1	..	2	..	3	1	7	8.7	1		
Chittoor	44	17	20.0	1	..	3	..	16	18.9	4		
Cuddapah†															
Eluru	97	37	19.8	3	..	2	1	17	9.1	..		
Gudivada†															
Guntur	143	65	23.7	..	4	..	8	2	9	1	61	22.2	12		
Guntakal	36	26	37.4	1	..	1	..	9	13.0	..		
Kakinada†															
Kurnool†															
Masulipatnam	86	65	39.2	1	..	2	..	17	10.3	4		
Nandyal	37	23	32.3	1	4	..	10	14.0	..		
Nellore	92	79	44.4	2	4	4	1	45	25.3	9		
Proddatur	41	18	23.2	1	..	1	..	8	10.3	2		
Rajahmundry	119	78	34.1	5	5	2	..	44	19.2	6		
Tenali	65	23	18.4	2	2	2	..	16	12.8	3		
Vijayawada	194	95	25.7	8	5	50	13.5	13		
Visakhapatnam	124	65	27.4	5	1	6	..	34	14.3	7		
Vizianagram	74	35	24.6	1	5	2	2	21	14.7	5		
TOTAL	1,310	721	28.6	..	6	..	45	26	43	7	388	15.4	70		
Assam															
Shillong†															
Gauhati	50	20	28.0	5	1	12	12.5	1		
Dibrugarh†															
Silchar	42	4	5.0	3	1	5	2.6	1		
TOTAL	92	24	13.6	8	2	17	9.6	2		
Bhopal } Bihar }															
"N.R."															
Bombay															
Ahmedabad	870	684	40.8	9	6	100	..	297	17.7	88		
Ahmednagar	87	54	32.3	4	3	10	1	35	20.9	6		
Amalner	49	56	39.4	10	..	7	..	20	21.2	1		
Bagalkot	36	32	46.2	4	1	1	..	11	15.9	..		
Baroda	237	194	42.6	18	1	13	1	60	13.1	19		
Barshi	45	31	35.8	3	8	9.2	2		
Belgaum	109	66	31.3	5	..	5	..	19	8.9	3		
Bhusawal	61	36	30.7	4	..	2	..	7	5.9	1		
Bijapur	73	63	44.9	4	..	3	..	19	13.5	..		
Broach	66	50	39.4	11	..	1	..	18	14.1	2		
Cambay	41	25	31.7	7	1	2	..	12	15.2	5		
Chalisgaon	34	35	54.7	6	..	3	..	9	13.8	4		
Dharwar	75	31	21.5	3	..	12	8.3	..		
Dhulia	87	42	25.1	13	1	1	..	32	13.1	10		
Gadag-Betgeri	70	42	31.2	7	..	6	1	30	22.3	..		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total); "N.R."—Information not received; ..—Nil information.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 26th March, 1955—*contd.*

Deaths from :—

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.	D.	R.	D.	M.	D.	Total	D.R.*	I.D.
Bombay—<i>contd.</i>																
Godhra†																
Greater Bombay	3,335	1,415	22.1	..	1	..	4	24	109	..	591	8.2	148			
Hubli	144	39	14.1	3	..	3	..	15	5.4	2			
Jalgaon	77	22	14.8	..	1	..	7	..	3	..	17	11.5	2			
Kalyan	70	36	26.7	2	..	2	..	11	8.2	1			
Kolhapur†																
Malegaon	62	36	30.2	..	3	..	18	3	2	..	28	23.5	12			
Miraj	44	19	22.4	2	1	..	3	19	22.4	1			
Nadiad	70	53	38.4	..	1	..	17	..	1	..	28	20.8	9			
Nandurbar	34	31	35.8	3	8	9.2	2			
Nasik	115	68	30.7	5	1	5	1	25	11.3	..			
Navasari	49	30	31.8	7	13	13.8	4			
Pandharpur	44	27	31.9	1	3	5	..	14	16.5	6			
Patan	46	40	45.2	2	1	1	..	11	12.4	2			
Poona	584	310	27.6	3	2	23	3	99	8.8	38			
Sangli	57	18	16.4	4	..	3	..	16	14.6	3			
Satara	40	31	40.3	2	2	1	..	10	13.0	..			
Sholapur	293	218	37.9	13	5	26	..	85	14.1	21			
Surat	245	161	34.0		1	14	1	65	13.8	23			
Thanet†																
TOTAL	7,249	3,995	28.6	..	6	..	206	56	355	11	1,634	11.7	417			
Delhi State																
Delhi City	1,085	516	24.7	53	3	31	1	151	7.2	42			
New Delhi	355	126	18.5	5	1	13	..	69	10.1	14			
N.A.C. Civil Station, Delhi	111	82	38.4	1	..	7	3.3	5			
Delhi Cantt.	49	44	46.7	2	2.1	..			
Delhi Shahdara	51	27	27.5	2	2	1	..	9	9.2	2			
TOTAL	1,651	795	25.0	60	6	46	1	238	7.5	63			
Madhya Pradesh																
Achalpur	38	37	50.6	6	..	1	1	13	17.8	2			
Amravati	98	65	34.5	10	..	4	1	32	17.0	8			
Kamptee†																
Chhindwara	30	24	41.6	4	1	11	19.1	3			
Bilaspur	40	22	28.6	3	..	1	..	14	18.2	3			
Burhanpur†																
Chanda†																
Wardha	45	33	38.1	1	2	..	12	13.9	2			
Hinganghat†																
Khandwa†																
Nagpur†																
Akola	101	63	32.4	18	2	1	..	37	19.0	7			
Yeotmal	40	36	46.8	5	..	2	..	15	19.5	6			
Rajpur†																
TOTAL	392	280	37.1	46	4	11	2	134	17.8	31			
Madras																
Ambur	44	37	43.7	1	2	2	..	12	14.2	3			
Aruppukottai	54	45	43.3	4	2	3	..	22	21.2	5			
Bodinayakanur	39	16	21.3	1	..	2	..	4	5.3	..			
Cannanore	46	31	35.0	..	3	..	2	2	15	17.0	2			
Chidambaram	38	36	49.3	1	..	12	16.4	2			
Coimbatore	227	280	52.7	5	10	20	..	95	21.8	27			

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be fully reliable for calculating the birth and death rates.

..=Nil information.

Key of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (including ..=Nil information.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 26th March, 1955—*contd.*

Deaths from :—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madras—<i>contd.</i>													
Cuddalore	73	59	42·0	1	3	1	1	25	17·8	3
Dindigul	88	67	39·6	1	..	1	..	25	14·8	6
Erode	65	59	47·2	1	2	..	11	8·8	6
Gobichetty Palayam	37	16	22·5	3	..	6	8·4	..
Gudiyattam	51	37	37·7	2	..	1	..	13	13·3	2
Kancheepuram	89	86	50·2	4	6	12	..	44	25·7	8
Karaikudi	43	34	41·1	1	12	14·5	3
Karur	48	23	25·0	2	7	7·6	1
Kozhikode	173	151	45·4	5	..	5	..	52	15·6	10
Kumbakonam	102	83	42·3	1	2	5	1	42	21·4	5
Madras	1,649	1,138	35·9	..	1	..	60	59	153	2	558	17·6	121
Mangalore	133	70	27·4	..	1	..	1	..	2	..	24	9·4	5
Mathurai	415	344	43·1	16	13	36	2	144	18·0	29
Mayuram †													
Melapalayam	40	21	27·3	3	10	13·0	5
Nagapattinam	60	50	43·3	3	3	2	..	21	18·2	6
Ottacamund	43	52	58·8	1	5	..	11	12·4	3
Palani	39	25	33·3	2	3	..	11	14·7	..
Palayamkottal	44	76	89·8	1	1	1	1	16	19·0	3
Palghat	76	57	39·0	2	6	1	27	18·5	5
Periyakulam	33	36	56·7	2	2	..	9	14·2	1
Pollachi	49	42	44·5	1	4	..	11	14·7	1
Pudukottai	49	49	52·0	1	1	14	22·3	3
Rajapalayam	67	46	35·7	1	4	3	..	21	16·3	5
Salem	234	152	33·8	7	5	11	1	71	15·8	6
Srirangam	41	20	25·4	1	1	..	2	11	14·0	1
Srivilliputtur	43	28	33·9	1	6	7·3	2
Tanjore	115	82	37·1	4	2	4	..	38	17·2	9
Tellicherry	42	47	58·2	..	3	..	2	2	..	1	25	31·0	1
Tiruchirapalli	245	146	31·0	4	7	15	..	76	16·1	11
Tirunelveli	79	57	37·5	1	1	5	..	22	14·5	6
Tiruppur	61	34	29·0	2	..	8	6·8	1
Tiruvannamalai	44	29	34·3	2	1	..	12	14·2	2
Tuticorin	109	77	36·7	3	11	2	33	15·7	10
Vaniyambadi	42	37	45·8	3	1	1	..	11	13·6	3
Vellore	121	117	50·3	3	7	2	47	20·2	11
Villupuram	39	37	49·3	1	5	1	..	15	20·0	6
Virudunagar	51	44	44·9	1	2	6	6·1	1
TOTAL	5,183	3,923	39·4	..	8	..	138	154	334	15	1,655	16·6	340
Orissa													
Berhampur	70	30	22·4	3	10	7·5	2
Cuttack	114	131	59·9	8	5	4	1	47	21·5	8
Puri	53	43	42·3	7	4	4	..	26	25·6	5
TOTAL	237	204	44·9	18	9	8	1	83	18·3	15
Punjab (I)													
Ambala	64	31	25·3	6	1	4	..	15	12·2	6
Amritsar	335	177	27·5	3	3	27	1	62	9·6	21
Batala	61	33	28·2	4	5	4·3	3
Bhiwani	56	43	40·1	3	3	11	10·3	4
Ferozepore	43	17	20·6	1	1	..	2	2·4	1
Hissar	38	15	20·6	2	4	5·5	1
Hoshiarpur	50	24	25·0	1	..	2	2·1	2
Jullundur	194	87	23·4	6	..	10	..	18	4·8	2
Karnal	69	33	24·9	4	..	1	..	7	5·3	2

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. = Nil information.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 26th March, 1955—*contd.*

Deaths from : —

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Punjab (I)—<i>contd.</i>													
Ludhiana	172	74	22.5	9	16	4.8	2
Moga	40	25	32.6	1	..	3	..	10	13.0	2
Panipat	62	28	23.5	1	1	3	2.5	2
Pathankot	33	16	25.3	1	2	3.2	1
Rewari†													
Rohtak†													
Simla	49	22	23.4	2	2.1	..
Sonepat†													
TOTAL	1,266	625	25.7	—	40	9	47	1	159	6.5	49
Uttar Pradesh													
Agra	367	236	33.5	..	1	..	6	6	50	—	130	18.5	45
Allahabad	342	171	26.1	2	22	..	56	8.5	13
Amroha	60	36	31.3	10	2	3	..	27	23.5	6
Bahraich	46	21	23.8	2	..	3	3.4	2
Banaras	375	217	30.2	42	12	20	..	151	21.0	36
Ballia†													
Banda	32	8	13.0	—	3	4.9	..
Bareilly	201	63	16.3	8	4	5	1	24	6.2	6
Bijnor	31	20	33.6	2	..	4	6.7	1
Budaun	54	33	31.9	3	..	3	..	12	11.6	4
Basti	37	3	4.2	..	1	..	3	5	7.0	..
Bulandshahr	41	7	8.9	3	3	3.8	1
Chandausi	40	20	26.1	4	3	2	..	14	18.2	4
Dehra Dun	141	28	10.3	—	2	..	10	3.7	3
Etawah†													
Faizabad-Ayodhya†													
Farrukhabad-Fatehgarh	81	45	29.0	5	3	9	..	23	14.8	6
Ferozabad	76	26	17.8	4	..	3	..	12	8.2	3
Ghaziabad	45	17	19.7	4	1	5	5.8	3
Ghazipur	36	24	34.8	8	..	2	..	13	18.8	2
Gorakhpur	137	48	18.3	5	2	1	18	6.8	5
Gonda	34	22	33.7	2	3	4.6	..
Hapur	48	20	21.7	1	..	3	..	8	8.7	1
Hardwar	63	33	27.3	8	1	2	..	20	16.5	8
Hathras	61	36	30.8	6	1	7	..	16	13.7	8
Jaunpur	56	33	30.7	2	..	4	..	10	9.3	1
Jhansi†													
Kanpur	716	356	25.0	..	1	..	95	11	30	2	256	18.0	79
Kasganj	34	8	12.3	3	..	1	..	4	6.1	2
Khurja	40	23	30.0	3	..	6	7.8	2
Koll-Aligarh	148	44	15.5	—	2	2	4	..	15	5.3	6
Lucknow	485	379	40.7	..	2	..	29	11	32	..	168	18.1	44
Mathura	108	46	22.2	..	1	..	7	..	8	..	23	11.1	6
Mau-Nath Bhanjan	37	23	32.4	1	5	7.0	3
Meerut	181	72	20.7	4	1	3	..	16	4.6	1
Mirzapur-Vindhyachal	95	38	20.8	8	3	3	..	14	7.7	3
Moradabad	163	95	30.4	3	2	15	..	36	11.5	7
Muzaffarnagar	72	38	27.5	3	..	1	..	8	5.8	2
Pilibhit†													
Rampur†													
Saharanpur	158	77	25.4	21	1	4	1	32	10.6	9
Sambhal	64	49	39.9	7	1	4	—	16	13.0	5
Shahjahanpur	99	73	38.4	10	1	1	..	29	15.3	7
Sitapur	48	17	18.5	4	..	2	..	6	6.5	1
TOTAL	4,852	2,505	26.8	..	6	..	315	74	254	5	1,204	12.9	335

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B. R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M. D.—Maternal Deaths ; D. R.—Death Rate ; I. D.—Infantile Deaths (included in total Deaths) ; .. = Nil Information.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 26th March, 1955—*contd.*

Town	Mid.-year Popn.-Est. (000)	Deaths from :—											D.R.* I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total		
West Bengal		"N.R."											
STATES (Part 'B')													
Jammu & Kashmir		"N.R."											
Madhya Bharat													
Greater Gwalior	267	98	19.1	5	1	1	..	12	2.3	..
Ujjain	151	47	16.2	15	1	43	14.8	1
Ratlam	71	19	13.9	5	1	12	8.8	4
Mandsaur	40	6	7.8	3	3	3.9	..
Indore	357	152	22.1	9	2	11	2	78	11.4	22
TOTAL	886	322	18.9	37	3	12	4	148	8.7	27
Mysore State													
Bangalore City	936	461	25.6	23	26	46	..	160	8.9	..
Davanagere	67	16	12.4	4	8	6.2	..
Kolar Gold Fields	170	43	13.1	3	3	2	22	6.7	..
Mysore City	285	173	31.6	2	3	6	3	45	8.2	..
TOTAL	1,458	693	24.7	29	32	55	5	235	8.4	..
PEPSU													
Patiala City	108	57	27.4	6	..	1	..	21	10.1	7
Malerkotla City	34	24	36.7	6	9	13.8	..
Bhatinda	38	20	27.4	4	2	1	..	7	9.6	3
TOTAL	180	101	16	2	2	..	37	..	10
Rajasthan													
Alwar	60	24	20.8	..	2	..	1	12	10.4	2
Jodhpur	196	26	6.9	..	17	..	15	7	8	..	72	19.1	17
Bikaner	117	23	10.2	3	2	12	..	27	12.0	5
Bharatpur†													
Churu	46	6	6.8
Ganganagar	45	7	8.1	1	..	4	4.6	..
Tonk	45	2	2.3	2	..	3	3.5	..
Sikar	49	5	5.3	2	6	6.4	..
Jaipur	341	57	8.7	23	3	10	..	61	9.3	21
Udaipur †													
Kotah	71	11	8.1	..	1	..	5	14	10.3	1
TOTAL	970	161	8.6	..	20	..	49	12	33	..	199	10.7	48
Saurashtra													
Bhavnagar	153	54	18.4	..	5	..	14	4	5	..	50	17.0	22
Dhoraji	46	21	23.7	2	..	2	..	12	13.6	1
Gondal	40	33	42.9	6	..	3	..	19	16.9	4
Jamnagar	119	17	7.4	2	..	3	2	15	6.6	1
Junagadh	65	22	17.6	10	..	1	1	18	14.4	5
Morvi	42	23	28.5	3	1	1	5	6.2	3
Porbandar	63	26	21.5	9	1	17	14.0	3
Surendranagar	41	10	12.5	1	2	1	..	4	5.1	1
Rajkot	161	67	21.1	25	5	..	2	84	27.1	23
Veraval	45	7	8.1	1	1	1	..	7	8.1	1
TOTAL	775	280	18.8	..	5	..	70	16	17	6	225	15.1	84
Travancore-Cochin		"N.R."											

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information. "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 26th March, 1955—concl. l.

Town	Mid.-year Popn.-Est. (000).	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				

ARREAR RETURNS

For w/e the 19th March, 1955

Bihar														
Arrah	69	10	7.5	6	..	2	..	10	7.5
Bettiah	38	4	5.5	1	2	2	..	7	9.6	2	..
Bhagalpur†
Bihar	67	10	7.7	2	4	3.1
Chapra	68	20	15.3	1	8	6.1
Darbhanga	92	25	14.1	6	6	3.4
Dinapur	44	7	8.4	3	..	1	..	8	9.5
Dhanbad	40	8	10.4	1	5	6.5	1	..
Gaya	146	33	11.8	1	3	..	24	8	6	..	54	19.2
Jamalpur	46	5	5.7	1	3	3.4
Jamshedpur	241	116	25.0	2	2	3	..	16	3.5	5	..
Monghyr	79	15	9.9	8	..	9	5.9
Hazaribegh	38	8	11.0	1	5	6.8	1	..
Patna Corporation	321	671	108.7	4	2	1	..	200	32.4
Ranchi	126	17	7.0	9	16	6.6
Purulia	46	7	7.9	2	2.3
Katihar	49
Muzaffarpur	82	32	20.3	8	2	1	..	26	16.5
TOTAL	1,592	988	32.3	2	3	..	66	17	24	1	379	12.4	9	..

Madhya Bharat														
<i>For w/e the 19th March, 1955</i>														
Greater Gwalior	267	47	9.2	3	8	1.6
Indore	357	106	15.4	16	2	11	1	70	10.2	20	..
Ujjain	151	46	15.8	10	1	..	1	34	11.7
Mandsaur	40	11	14.3	1	1.3	1	..
Ratlam	71	27	19.8	4	..	1	1	12	8.8	3	..
TOTAL	886	237	13.9	33	3	12	3	125	7.3	24	..

Travancore-Cochin														
<i>For w/e the 12th March, 1955</i>														
Alleppey	142	54	19.8	1	..	1	..	16	5.9	7	..
Changanacherry†
Ernakulam†
Kottayam†
Mattanchery	83	37	23.2	7	..	18	11.3	2	..
Nagercoil	91	33	18.9	1	..	2	1	13	7.4
Quilon	73	171	121.8	1	1	3	..	28	19.9	9	..
Trichur	75	59	40.9	1	..	4	..	10	6.9
Trivandrum†
TOTAL	464	354	39.3	4	1	17	1	85	9.5	18	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 26th March, 1955, relate to 192 towns with an estimated population of 26,501 thousands. The total number of towns is 300 and their population is 38,988 thousands. Thus 64% of the total number of towns representing 68% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 14,629 and 6,356 representing birth and death rates of 28.7 and 12.5 per thousand of population respectively.

(A) *States (Part A and C).*—The data here relate to 161 towns with an estimated population of 22,232 thousands. Information about Ajmer, Bihar, Bhopal and West Bengal could not be included. The total number of towns is 252 and their population is 32,572 thousands. Thus 64% of the total number of towns representing 68% of the total

population is covered. The number of births and deaths recorded in these towns were 13,072 and 5,512 representing birth rates and death rates of 30.6 and 12.9 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(B) *States (Part B).*—The data here relate to 31 towns with an estimated population of 4,269 thousands. The total number of towns is 48 and their population is 6,416 thousands. Thus 65% of the total number of towns representing 67% of the total population is covered. The number of births and deaths recorded in these towns were 1,557 and 844 representing birth and death rates of 19.0 and 10.3 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 26-3-55		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Andhra . . .	28.6	15.4	26.0	13.8	†	†
Bombay . . .	28.6	11.7	22.1	14.6	26.1	17.1
Delhi . . .	25.0	7.5	25.5	9.0	25.8	9.8
Madhya Pradesh .	37.1	17.8	21.6	11.1	24.8	15.3
Madras . . .	39.4	16.6	34.4	17.7	†	†
Orissa . . .	44.9	18.3	40.8	18.8	37.2	23.8
Punjab (I) . . .	25.7	6.5	34.2	8.1	26.8	9.1
Uttar Pradesh . .	26.8	12.9	28.8	14.3	27.2	15.9
India (Only States Parts A and C).	30.6	12.9	27.8	14.3	27.2	16.0

† Figures not available.

NEW DELHI-2 (INDIA) ; }
The 18th April, 1955 }

K. MITRA,
for Registrar General, India.

